

ABHAYA

Acoustic Solutions - Zintra Patterns / Screens - Cladding - Zintra Patterns.



Texture: 3

Lustre: 1

Transparency: 1

<p>DESCRIPTION / FEATURES</p>	<p>Baresque's popular acoustic solution has undergone a style update to bring you Zintra Patterns.</p> <p>Experience our virtually unlimited range of classic to contemporary perforated designs cut out of Zintra, which can then be paired with a matching or contrasting solid Zintra backing panel to create a unique look for walls or ceilings. In just the one product you will find style, texture, contrast, depth and the added benefit of sound absorption to create a harmonious environment.</p> <ul style="list-style-type: none"> * Increased noise absorption (NRC 0.45 - 0.95) * Easy installation for walls, ceilings and as room dividers * Broad range of neutral and bright colours * Virtually unlimited range of designs
<p>BRAND SPEC</p>	<p>Zintra - check out the complete range</p>
<p>HOW TO SPECIFY</p>	<ol style="list-style-type: none"> 1. Design 2. Size 3. Colour 4. Backing Colour (if required)
<p>COMPOSITION</p>	<p>Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)</p>



	Polyester
PATTERN REPEAT	N/A
WEIGHT	3.5 kg/m ²
FIRE RATING	ASTM E-84 - Class A E-13501 - B-s2-d0 AS 5637.1:2015 - Group 1
STANDARD SIZE	Sheet Size 610mm x 610mm (24" x 24") 610mm x 1220mm (24" x 48") 1220mm x 2745mm (48" x 108") Thickness 12mm (0.5") - Pattern layer only 24mm (1") - Pattern layer on backer
SURFACE FINISH	Matt
FINISHES AVAILABLE	Zintra 12mm (1/2") Colour Range
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
CUSTOMISABLE	Yes, height and width
THERMOFORMABLE	No
LEAD TIME	2-3 weeks + 1 week for Western Australia
ADDITIONAL COMMENTS	Not suitable as a free standing product.
SUPPLIED AS	Sheet ready to install
FABRICATION	Stanley knife
SUGGESTED INSTALLATION	Zintra Pattern - choose from one of Baresque's hardware options or choose your own to install as a room divider, ceiling tile or wall / ceiling feature Zintra Pattern on Backer - Adhere to substrate using contact



	adhesive or Liquid Nails. Panel can be mechanically fixed using details similar to glass fittings
REFINISHABLE	No
CARE INSTRUCTIONS	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels