

ZINTRA® ACOUSTIC TEXTURES

ZINTRA® ACOUSTIC TEXTURES

WHAT ARE ZINTRA® ACOUSTIC TEXTURE PANELS?



Zintr® Acoustic Textures not only highlight the fantastic acoustic qualities of Zintr® Acoustic 12mm, but also the ease in which the material can be fabricated on the jobsite. Zintr® Acoustic Textures subtle three-dimensional relief creates dimension and acoustic refraction within your space, making them ideal for noisy, public spaces where good acoustic quality and aesthetics are required. Our wide range of designs and colours work easily in classic or modern settings.

ZINTRA® ACOUSTIC TEXTURE PANELS FEATURES

- Uniquely designed sound solution - aw 0.30 / NRC 0.45
- Provides sound absorption as well as sound diffraction
- 2745mm long panels ideal for joint-free floor to ceiling applications
- 12 standard designs - see following page
- Easily installed
- Fabricated to specific size of project for simple installation

ZINTRA® ACOUSTIC TEXTURES SPECIFICATIONS

CONTENT	100% Polyester
ACOUSTIC RATING	aw 0.30 / NRC 0.45
PANEL SIZE / THICKNESS	Maximum 2745mm x 1220mm x 12mm
SURFACE FINISH	Matte
WEIGHT	2.4kg / m²
COLOURS	20 standard colours. (See page 7)
APPLICATION	Indoor areas only
FABRICATION	Utility knife or CNC with oscillating knife
INSTALLATION	Adhere to substrate with Silicon based construction adhesive
FIRE RATING	In accordance with EN 13501-1, Zintra Acoustic 12mm achieves Class B-s2-d0
CARE INSTRUCTIONS	Vacuum



OPTIONAL TRIM

