

ZINTRA® DESK SOLUTIONS




ZINTRA® DESK SOLUTIONS

WHAT ARE ZINTRA® ACOUSTIC SOLUTIONS?

Zintra Desk Solutions grants privacy with minimal impact to the overall 'openness' of a design. The three products; Desk Divider, Desk Modesty Panel and Desk Screen are crafted from Zintra® Acoustic 12mm Panel providing acoustic and aesthetic appeal in a range of colours and designs. They are available in a variety of versatile sizes and configurations to allow easy tailoring to your specific environment needs. They accommodate all desk thicknesses from 9mm - 36mm and can be temporarily or permanently fixed depending upon the individual needs of the project.

ZINTRA® DESK SOLUTIONS FEATURES

- NRC = aw 0.30 – 1.0 / NRC 0.35 - 1.0 depending on positioning
- Easy to assemble
- Tone-on-tone or two tone colour combinations
- Tackable
- Accommodates most desk thicknesses



BHUSHAN



KERALA



PUNTO



WAMIKA



HEX





PROSE

* Plain version also available


ZINTRATM DESK DIVIDER SPECIFICATIONS

CONTENT	100% Polyester
ACOUSTIC RATING	aw 0.90 / NRC 0.95
THICKNESS	24mm (made using 2 x layers of 12mm Zintratm)
PANEL HEIGHT FROM TOP OF DESK	276mm or 480mm
SURFACE FINISH	Matte
COLOURS	20 standard colours. (See page 7)
OPTIONS	Available with no pattern, pattern to one side and pattern to both sides.
APPLICATION	Indoor areas only.
FIRE RATING	In accordance with EN 13501-1, Zintratm Pattern on Zintratm achieves Class B-s2-d0
CARE INSTRUCTIONS	Vacuum



ZINTRA® DESK MODESTY SPECIFICATIONS

CONTENT	100% Polyester
ACOUSTIC RATING	aw 0.90 / NRC 0.95
THICKNESS	24mm (made using 2 x layers of 12mm Zintra)
SIZE	Height 605mm or 762mm Length 605mm (2 brackets), 1220mm (3 brackets), or 1829mm (4 brackets)
SURFACE FINISH	Matte
WEIGHT	4.8kg / m ²
COLOURS	20 standard colours. (See page 7)
OPTIONS	Available with no pattern, pattern to one side and pattern to both sides
APPLICATION	Indoor areas only.
FIRE RATING	In accordance with EN 13501-1, Zintra Pattern on Zintra achieves Class B-s2-d0
CARE INSTRUCTIONS	Vacuum



ZINTRA® DESK SCREEN SPECIFICATIONS

CONTENT	100% Polyester
ACOUSTIC RATING	aw 0.90 / NRC 0.95
THICKNESS	12mm or 24mm (made using 2 x layers of 12mm Zintra)
SIZE	Length 605mm (2 clamps), 1220mm (2 clamps), 1829mm (3 clamps) Height 280mm or 458mm
WEIGHT	12mm thick 2.4kg/m ² 24mm thick 4.8kg/m ²
COLOURS	20 standard colours. (See page 7)
OPTIONS	Available with no pattern, pattern to one side and pattern to both sides
INSTALLATION	Fix clamps to desk top Insert Zintra Screen into the clamp and tighten
APPLICATION	Indoor areas only.
FIRE RATING	In accordance with EN 13501-1, Zintra Acoustic 12mm and Zintra Pattern on Zintra achieve Class B-s2-d0
CARE INSTRUCTIONS	Vacuum