

CARRE

Zintra Textures.



Texture: 2

Lustre: 1

Transparency: 1

<p>DESCRIPTION / FEATURES</p>	<p>Zintra Acoustic Textures not only highlight the fantastic acoustic qualities of Baresque's Zintra Acoustic Panel, but also the incredible fabrication capabilities Baresque has to offer.</p> <p>Zintra Acoustic Textures subtle 3-dimensional relief creates dimension and acoustic attenuation within your space making them ideal for noisy, public spaces. Zintra's wide range of designs and colours slip easily into classic or modern settings. Zintra Acoustic Textures Panel features include:</p> <ul style="list-style-type: none"> * Cost effective sound solution (NRC = 0.45 -0.95) * 2745mm (108") long sheets ideal for join-free floor to ceiling applications * Broad range of neutral and bright colours * Easily fabricated and installed * Pinnable
<p>BRAND SPEC</p>	<p>Zintra</p>
<p>HOW TO SPECIFY</p>	<ol style="list-style-type: none"> 1. Design 2. Colour
<p>COMPOSITION</p>	<p>Zintra Acoustic Panel - 100% Solution Dyed (Colour Through)</p>



	Polyester
PATTERN REPEAT	N/A
WEIGHT	2.3 kg/m ²
FIRE RATING	ASTM E-84 - Class A E-13501 - B-s2-d0 AS 5637.1:2015 - Group 1
STANDARD SIZE	1195mm H x 1422 DIA 610mm H x 712mm DIA
SHEET SIZE	2745mm x 1220mm x 12mm (108" x 48" x 0.5") Sheet becomes approx 24mm (1") with raised texture
FINISHES AVAILABLE	Zintra 12mm (1/2") Colour Range
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
CUSTOMISABLE	Yes, height and width
THERMOFORMABLE	No
LEAD TIME	2-3 weeks + 1 week for Western Australia
ADDITIONAL COMMENTS	Only available manufactured from Zintra Acoustic Panel - 12mm. (24mm with texture)
SUPPLIED AS	Sheet ready to install
FABRICATION	Standard woodworking tools or Stanley knife
SUGGESTED INSTALLATION	Zintra Acoustic Textures should be installed using 3M VHB double sided tape (not supplied) as per the Handling Fabrication and Installation guide on the Downloads tab.
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth. Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.



	<p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.</p> <p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels