

ZINTRA LAYERS

Walls - Zintra Layers



Texture:

Lustre:

Transparency:

<p>DESCRIPTION / FEATURES</p>	<p>Zintra Layers brings a distinctive colour variation to the Zintra range by laying up different coloured strips of Zintra in the same thickness onto a Zintra Acoustic panel backer. Whether you're after subdued and subtle variation or a bright and contrasting explosion of colour, Zintra Layers is the ultimate aesthetic and acoustic solution. Zintra Layers features include:</p> <ul style="list-style-type: none"> * Cost effective sound solution - NRC = 0.75 * Broad range of neutral and bright colours * Suitable for multiple applications - walls, ceilings, * Easily fabricated and installed * Pinnable
<p>HOW TO SPECIFY</p>	<p>1. Size 2. Up to 3 colours (max) - The colour combination is random and not specifiable. All Zintra Layers are supplied on a Zintra Acoustic backer in Black.</p>
<p>COMPOSITION</p>	<p>Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester</p>
<p>FINISHES AVAILABLE</p>	<p>Zintra 12mm (1/2") Colour Range</p>
<p>STANDARD SIZE</p>	<p>48" x 108" x 1" (1220mm x 2745mm x 25mm)</p>

INDOOR/OUTDOOR	Indoor only
WET AREAS	No
PATTERN REPEAT	N/A
SUGGESTED INSTALLATION	Adhere to substrate using contact adhesive, Liquid Nails or Z clips. Panel can be mechanically fixed.
CUSTOMISABLE	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
THERMOFORMABLE	No
FIRE RATING	ASTM E-84 - Class A E-13501 - B-s2-d0 AS 5637.1:2015 - Group 1
ADDITIONAL COMMENTS	As Zintra Layers are hand-made, an exact pattern match from one panel to the next is not possible. All Zintra Layers are supplied on a Zintra Acoustic backer in Black.
FABRICATION	Utility knife or CNC with an oscillating knife
REFINISHABLE	No
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth. Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. Avoid using wax polishes, solvents or concentrated abrasives. For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration then pat dry with a lint free cloth.

zintrac[®]

	<p>Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Baresque for assistance.</p>
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels