



zintra[®] PRODUCT CATALOGUE

zintra[®]

hello@zintraacoutic.com
zintraacoustic.com

zintra[®]
ACOUSTIC SOLUTIONS

Contents

Overview	4
Beautiful Spaces	6
Superior Acoustics	8
Sustainability	10
Colours	12

Print	22
Colour	26
Art	32

Walls	48
Sticks	50
3D	62
Etch	68
Patterns	78
Textures	92
Layers	98
Blades	104

Tiles	110
Box Tiles	112
Plain Tiles	118
Etch Tiles	124
Pattern Tiles	132

Ceilings	138
Baffles	140
Sticks	166
Clouds	174
Shapes	180

Screens	186
----------------	-----

Hardware	206
-----------------	-----

COVER: Design **Zintra Sticks Bundle and Transition**
Colour **Spotted Gum** | Hardware **Suspension Kit**
Profile **Narrow** | Orientation **Portrait**

OVERVIEW

Beautiful Spaces

Available in a wide range of colours, dimensions, and products, Zintra is easy to configure, quick to ship, and simple to install on walls and ceilings.



Superior acoustics



Sustainable




Lightweight



Easy fabrication



Simple installation



Joint-free application



Digitally printable



Superior Acoustics

Hybrid working, collaborative learning and evolving social dynamics have driven the need for adaptable open spaces. These spaces often come with poor acoustics, which make it hard to communicate and difficult to concentrate.

The properties of a space define how sound is transmitted; its dimensions, the materials used in the interior design, and how those materials are used.

The ability of a material to absorb sound is critical to good acoustics, which is calculated as the Noise Reduction Coefficient (NRC), Sound Absorption Average (SAA), and Weight Sound Absorption Average (aw). Our products are independently tested by third-party test labs that have been certified by The American Society for Testing and Materials (ASTM) and by the International Standards Organisation (ISO).

NRC Ratings range from:




A zero rating means a material **absorbs 0%** of the sound power reaching the material. **Reflects 100% back.**

A one rating means a material **absorbs 100%** of the sound power reaching the material. *NRC ratings higher than 1 are possible due to depth of the acoustic product. **Reflects 0% back.**

Zintra products have been tested according to ASTM C423-17 and received NRC ratings ranging from 0.45 – 1.10, depending on its depth, shape and the distance it's installed from a surface.

Frequency/Hz		100	125	160	200	250	315	400	500	630	800	1000	1250	1600	2000	2500	3150	4000	SAA	NRC	ā
zintra 1/2"	0"	0.03	0.01	0.09	0.04	0.05	0.09	0.12	0.25	0.32	0.49	0.61	0.72	0.82	0.85	0.91	0.94	0.95	0.44	0.45	0.30
	2"	0.20	0.16	0.22	0.32	0.46	0.56	0.63	0.80	0.89	1.03	1.04	0.99	1.07	1.00	0.93	0.87	0.92	0.81	0.80	0.75
	6"	0.29	0.46	0.44	0.57	0.69	0.81	0.97	0.96	0.91	1.04	0.92	0.80	0.94	0.94	0.91	0.90	0.91	0.87	0.90	0.95
	12"	0.22	0.22	0.34	0.66	0.73	0.83	0.96	0.91	0.84	0.89	0.98	0.97	1.06	1.13	1.17	1.21	1.21	0.93	0.95	0.95
zintra 1"	0"	0.01	0.04	0.13	0.61	0.77	0.77	0.92	0.98	1.04	1.09	1.00	0.97	0.97	0.96	0.93	1.00	0.99	0.75	0.75	0.60
	2"	0.25	0.36	0.42	0.66	0.69	0.77	0.88	0.99	0.90	0.92	0.86	0.90	0.97	1.00	0.97	0.99	1.00	0.92	0.95	0.95
	6"	0.17	0.12	0.34	0.38	0.63	0.83	0.91	1.10	1.14	1.13	1.06	1.02	1.13	1.14	1.15	1.18	1.14	0.97	1.00	0.90
	12"	0.21	0.26	0.39	0.71	0.77	0.95	0.94	0.93	0.91	1.07	1.19	1.13	1.18	1.21	1.22	1.26	1.25	1.02	1.00	1.00



Zintra is specifically designed to enhance a space's acoustics by improving sound quality, reducing echoes, and minimising background noise. To understand how best to use it on your next project, our Acoustician is here to help.



Design Zintra Print Art in Autumn Forest | Artist Fritz Rumpf | Substrate Zintra Frost
Application Floor to Ceiling Screens

Sustainability

We believe in the sustainability of both our planet and our people. We do everything we can to minimise our environmental impact and create spaces that contribute to the wellness of the people that use them.

Certified by Declare, GREENGUARD and HPD, Zintra is made from 100% recyclable materials. It has low levels of volatile organic compounds and contains no formaldehyde. It's Red List Free and meets the Global Recycling Standard.

Reducing noise levels, minimising indoor air pollutants, easy cleaning and a European Class B fire rating are just a few of the reasons that Zintra is the perfect material for the green buildings of today and tomorrow.







Colours

The 24 Zintra panel colours have been developed with versatility in mind. The full spectrum means you can either choose one standalone colour or select a combination of complementary and contrasting colours to create the perfect indoor space.

24 colours available in 12mm panels

		
Pewter (PW)	Cadet (CT)	Chambray (CH)
		
Sky (SY)	Cobalt (CB)	Midnight (MI)
		
Malachite (MA)	Olive (OL)	Grass (GS)
		
Sunshine (SS)	Mandarin (MN)	Ochre (OE)
		
Brick (BK)	Bark (BR)	Ecru (EC)
		
Linen (LN)	Frost (FT)	Ivory (IY)
		
Smoke (SE)	Pebble (PB)	Greige (GR)
		
Fossil (FL)	Slate (SL)	Tar (TR)

5 colours available in 3mm panels

		
Dove	Snow	Cloud
		
Charcoal	Shadow	

Timber

Zintra Timber emulates the grains of real timbers. It combines the natural feel of wood with the acoustic benefits of Zintra across walls and ceilings.

Available as full panels or prefabricated products, Zintra Timber is a creative and easy way to bring the outdoors inside.



Eucalyptus (EU)



Ironbark (IB)



Spotted Gum (SP)



Merbau (MB)



Cool Palette

Cobalt | Tar | Sky | Ironbark




Warm Palette

Mandarin | Brick | Ochre | Merbau



Grey Palette

Pewter | Frost | Smoke | Ironbark




ZINTRA PRINT

Zintra Print


Zintra Print offers a wide range of colours, curated designs, and custom edge banding so that you can quickly personalise any interior space. Depending on exactly what you want, choose either Zintra Print Colour or Zintra Print Art.



Zintra Print Colour



Frost




Pebble

1. Choose your Base

Frost and Pebble have been chosen to offer contrasting base panels in 12mm. Frost gives a clean, crisp aesthetic with the most accurate colour matching, while Pebble offers a softer, more muted aesthetic with a heathered effect.




Spirit Colors



Studio Colors


2. Choose your Colour

We've carefully chosen a broad, contemporary colour palette to expand the range. 56 Studio colours reflect the latest interior design trends, while 10 Spirit colours are bolder and more vibrant, to showcase your school or team brand.



3. Create your Own

If one of the 66 Zintra Print colours doesn't quite meet your brief, it's quick and easy to create your own. Simply give us the Pantone colour you're trying to match, and we will create a sample for you.





28. Design Zintra Print Colour | Colour Mulberry, Plum and Thistle | Substrate Zintra Frost | Application Wall Panels

Studio Colours

56 soft colours to reflect the latest interior design trends.

Pinot	Currant	Rubine	Ceruse
Rhubarb	Rosewood	Mulberry	Mauvelous
Crepe	Papaya	Terracotta	Creamsicle
Buff	Chai	Harvest Moon	Melon
Sunset	Pueblo	Blonde	Mellow
Citron	Avocado	Envy	Spruce
Safari	Sage	Wasabi	Matcha
Pistachio	Artichoke	Carmine	Mojito
Seaweed	Mist	Peacock	Aegean
Pigeon	Azure	Sapphire	Indigo
Maya	Regatta	Surf	Powder
Independence	Plum	Wisteria	Thistle

Oat	Shell	Cinnamon	Mocha
Sepia	Oyster	Sterling	Stone

Spirit Colours

10 vibrant colours to showcase your school or college.

Gold	Old Gold	Red	Crimson
Green	Dark Green	Lapis	Maroon
Denim	Purple		


Edge Banding

The Zintra Print range offers the unique ability to create low-volume coloured edge banding. The edge banding is available in the full range of Studio and Spirit colours, or we can easily customise the colour for you.

Edge banding can be used to match or contrast the printed surface on selected Zintra Acoustic Solutions.




Zintra Print Art




1. Choose your Design

125 curated designs in multiple colourways are provided as the inspiration to print on your chosen base colour. The Materials range includes Timber, Metals, Stone and Concrete, while the Artwork range incorporates Abstract, Botanical and Geometric designs. In addition, we have partnered with internationally renowned artists to provide unique content for your space.



2. Choose your Base

Print onto the entire Zintra Acoustic 12mm (24 colours) panel range. While the colour of the Zintra base will impact the colour of the print, it's easy to print a layer of white before the colour layer to deliver colour accuracy.



3. Define your Space















The Zintra Print offer is made to order to suit your project. Provide us with the sizing and layout required to specifically fit your space and the Zintra Print panels will be provided to size, ready for install.










Zintra Print Art Library

125 curated designs in a variety of colourways.














Materials | Metals, Stone and Concrete

		
Bricks Heritage	Bricks Modern	Carrara Constellation
		
Gems Midnight	Gems Shattered	Gems Splintered
		
Gold Veined	Grunge Concrete	Ink Lined Earth
		
Ink Lined Glacier	Ink Lined Mid Blues	Polished Concrete
		
Rough Brick	Vintage Bronze	












Materials | Timber

		
Blonde Chevron	Light Oak	Log Cabin
		
Rough Sawn Timber	Urban Oak	Walnut
		
Wooden Herringbone		

Artwork | Murals

		
Blurred Landscape	Downtown Afterglow	Hammersley Gorge
		
Into The Waves Day	Into The Waves Night	Into The Woods
		
Ombre Forest	Ombre Morning	Ombre Pitch
		
Ombre Rust	Salt Lake	Skyward High Rise
		
Sun Tipped Canopies		



Artwork | Abstract

		
Deep Sea Ombre	Earthy Ways	Igneous Rising Copper
		
Igneous Rising Gold	Igneous Rising Steel	Misty Mountains
		
Placid Earth	Placid Loch	Placid Rock
		
Scandalash	Tidal Trends	

Artwork | In the Wild

		
Flying Feathers	In the Grasslands	Nocturnal Dance Deep Water
		
Nocturnal Dance Henna	Nocturnal Dance Midnight	Winging It

Artwork | Collaborator



Artwork | Botanicals





38. Design Zintra Print Art in Gems | Midnight | Substrate Zintra Frost | Application Zintra Tiles Trapezium

Artwork | Botanicals (continued)



Banksia Flowers Summer



Banksia Flowers Winter



Budding Peonies Argon



Budding Peonies Canvas



Budding Peonies Ink



Budding Peonies Monochrome



Budding Peonies Rust



Budding Peonies Sepia



Curious Cordelia Jam



Curious Cordelia Mangrove



Curious Cordelia Spiced



Eucalyptus Vines Emerald



Eucalyptus Vines Frost



Eucalyptus Vines Port



Eucalyptus Vines Sea



Exotic Blooms



Fall Puzzle Aqua Foam



Fall Puzzle Blue Glaze



Fall Puzzle Deep Cave



Fall Puzzle Juicy Lime



Fall Puzzle Terra Tone



Fall Puzzle True Black



Furling Fronds



Ginkgo Weave Earth



Ginkgo Weave Eggshell



Ginkgo Weave Endeavour



Ginkgo Weave Moss



Ginkgo Weave Restful



Ginkgo Weave Romance



Ginkgo Weave Seafoam



Golden Lotus Chocolate



Golden Lotus Merlot



Golden Lotus Persian



Gumnuts Bold



Gumnuts Monochrome



Gumnuts Moss



Gumnuts Negative



Gumnuts Neutral



Gumnuts Pastel



Gumnuts Retro



In Deepest Jungle



Into the Jungle Battle



Into the Jungle Fern



Into the Jungle Flax



Into the Jungle Java



Into the Jungle Midnight



Into the Jungle Naval



Into the Jungle Sage Linen



Into the Jungle Storm



Leafy Haven Burt Umber



Leafy Haven Coastal



Leafy Haven Coal



Leafy Haven Tea



Magnolia Blooming Charcoal



Magnolia Blooming Coral



Magnolia Blooming Indigo



Magnolia Blooming Olive



Melifluance Autumn



Melifluance Spring



Melifluance Summer



Melifluance Winter



Native Botanica Carbon



Native Botanica Daylight



Native Botanica Palladium



Native Buds Bright



Native Buds Magnesium



Native Buds Muted



Shades of Winter



The Bloom Effect



Tropicality Bronzed



Tropicality Ocean




Tropicality Jade

Artwork | Botanicals (continued)




Artwork | Lines and Geometrics





44. Design Print Art in French Linen | Duck Egg | Substrate Zintra Frost | Application Wall Panels

Artwork | Lines and Geometrics (continued)




WALLS

Sticks

Zintra Sticks is a range of fabricated acoustic "sticks" that come as a ready to install system or individual lengths. Two profiles offer the choice of portrait or landscape installation across walls and ceilings, while transition pieces create a seamless join on inside or outside corners.

Refer to p. 166 for the ceilings application of Sticks.






52. Design **Zintira Sticks Bundle** | Colour **Slate** | Profile **Narrow** | Orientation **Landscape**



54. Design **Zintra Sticks Bundle and Trim** | Colour **Spotted Gum** | Orientation **Portrait**




Design **Zintra Sticks Bundle and External Corner** | Colour **Spotted Gum** | Profile **Wide** | Orientation **Portrait**




56. Design **Zintra Sticks Bundle** | Colour **Merbau** | Profile **Narrow** | Orientation **Portrait**


Typical Landscape Transition Assembly 1.66" (42mm) wide stick profile




Landscape Transition Narrow Set 108" (2745mm) w x 11.67" (296mm) h




Landscape Transition Wide Set 108" (2745mm) w x 12.83" (326mm) h



Landscape External Corner Narrow Set 37.5" (953mm) h x 6" (152mm) w




Landscape External Corner Wide Set 37.5" (953mm) h x 6" (152mm) w



Sticks Trim 108" (2745mm) h x 2.88" (73mm) w x 2.88" (73mm) d




Typical Landscape External Corner Assembly 1.66" (42mm) wide stick profile




Sticks Bundle Narrow

108" (2745mm) h x 37.5" (953mm) w
Individual Sticks – 1.66" (42mm) w x 2.4" (61mm) d




Sticks Bundle Wide

108" (2745mm) h x 37.5" (953mm) w
Individual Sticks – 4" (101mm) w x 2.4" (61mm) d




Portrait External Corner Set

108" (2745mm) h x 4" (101mm) w




Typical Portrait Transition Assembly

4" (101mm) wide stick profile




Typical Portrait External Corner Assembly

4" (101mm) wide stick profile




Portrait Transition Narrow Set

11.37" (289mm) h x 37.5" (953mm) w



Portrait Transition Wide Set

11.37" (289mm) h x 37.5" (953mm) w



NOTE: Zintra Sticks is available either as a complete system (aluminium frame and sticks) or as individual sticks. The sticks are available in two widths and in the complete range of Zintra. Timber species and Zintra standard colours. Suspension Kit for ceilings and Individual Sticks also available. Zintra Sticks is impeccably finished around windows, doors, ceiling services and sockets with our simple but polished Sticks Trim. Supplied as a separate right angle piece, Sticks Trim is easily cut in the field to mitre or butt join and glue to Sticks sets to provide a matching Timber finish to exposed ends.


Sticks Specifications

Product Category	See p. 166 for Sticks as Ceilings	
Dimensions	See spread.	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Directly Mounted: 0.8	With 6" (152mm) Air Gap: Up to 0.95
Aw Rating	Directly Mounted: 0.6	With 6" (152mm) Air Gap: Up to 0.65
Suggested Installation	Ships knock down except Sticks Trim. Assembly required. Check out the Installation tab on the website for complete installation instructions.	
Customisation	The Zintra Acoustic Solutions range is Customisation to your project. Please get in touch with your local contact for details.	

3D Wall Panels

3D Wall Panels join seamlessly to add depth, interest, and superior acoustics to flat or curved surfaces. The narrow panels have been designed with a small pattern repeat so they're easy to adjust and fit wall to wall, without the need for custom drawings.






64. Design Zindra 3D Wall Batten 4 | Colour Spotted Gum



66. Design Zintra 3D Wall Peaks | Colour Midnight, Sky and Cadet


Peaks

3 strips / set, 26.3 SF (2.4m²)
12" (305mm) w x 108.1" (2745mm) h x 1.6" (40mm) d / strip




Batten 2

3 strips / set, 18.1 SF (1.7m²)
8.6" (218mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip




Batten 4

3 strips / set, 27 SF (2.5m²)
12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip



Batten 6

3 strips / set, 27 SF (2.5m²)
12" (305mm) w x 108.1" (2745mm) h x 1.5" (37mm) d / strip




3D Wall Panels Specifications


Dimensions:	See above
Colours:	Available in all 28 colours including Zintra Timber (see p. 12–21)
NRC Rating:	Directly Mounted: 0.45
Aw Rating:	Directly Mounted: 0.30
Suggested Installation	Refer to install guide for screw locations and spacing (screws not included). Screw into wall through indicated joints using suitable screws for substrate. Push panel to protrude texture and screw in place. Repeat in a tile like fashion across space. Check out the Installation tab on the website for complete installation instructions.
Additional Comments	Not suitable as a free standing product.
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Etch

Zintra Etch offers a range of 3D panel designs, created using a 3mm v-groove. The angled blade cuts a contemporary, design-led acoustic design that's perfect for progressive, modern interiors.

Refer to p. 124 to see our Etch Tiles.





70. Design Zintra Etch Sine | Colour Slate




72. Design Zintra Etch Tessellate | Colour Spotted Gum




74. Design **Zintra Etch Volta** | Colour **Linen**




Design **Zintra Etch VJ Angle** | Colour **Pewter** | Project **CoDesign Office Fitout** | Designer **CoDesign**




Reed Bed




Vino




V-Groove detail view



VJ Board Narrow



VJ Board Wide



Design **Zintra Etch VJ Angle** | Colour **Smoke** | Project **Harbourfront Seafood Restaurant**
 Designer **Birdblack Design** | Photographer **Andrew Ratter Photography**

Etch Specifications


Product Category	See p. 124 for Etch as Tiles.		
Dimensions	48" x 108" x 1/2" (1220mm x 2745mm x 12mm)		
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)		
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90
	With 12" (305mm) Air Gap: 0.95		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 0.95		
Suggested Installation	Adhere to substrate using contact adhesive. Panel can be mechanically fixed using details similar to glass fittings. Check out the Installation tab on the website for complete installation instructions.		
Additional Comments	Etch is a 3mm deep V groove. Not suitable as a free standing product.		
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		

Patterns

Zintra Patterns offers a broad range of classic or contemporary panel designs that can be used on their own, or in conjunction with a Zintra backing, to create beautiful, acoustic screens and wall coverings.

Refer to p. 132 to see our Pattern Tiles.






80. Design Zintra Patterns Marquise | Colour Ecu




82. Design Zintira Patterns Circuit | Colour Linen on Greige




84. Design Zintra Patterns Punto | Colour Fossil




86. Design Zintra Patterns Shard | Colour Frost on Sunshine




Abhaya




Asiatic




Astra




Bengal




Bharata




Garden Art




Haimati




Hex




Indus




Jacks




Bhushan




Circuit




Cirque



Deepak




Devraj




Kali




Kerala




Krishnan




Links




Lost




Elephanta



Fishbone




Foliage



Gadiva




Ginkgo




Mandava




Malini




Marquise




Monsoon




Nadu




Noktalar




Origami




Padmesh




Perdita




Pivot




Stone Age




Sutra




Telugu




Vanishing




Pixel




Prose




Punto




Raja




Sakra




Vedic




Wamika




Sankaran




Sanskrit



Setro



Shard




Siptical

Patterns Specifications

Product Category	See p. 132 for Patterns as Tiles		
Dimensions	PATTERNS ONLY 48" x 108" x 1/2" (1220mm x 2745mm x 12mm) 23.8" x 47.8" x 1/2" (603mm x 1213mm x 12mm) 23.8" x 23.8" x 1/2" (603mm x 603mm x 12mm)		PATTERNS ON BACKER 48" x 108" x 1" (1220mm x 2745mm x 24mm) 23.8" x 47.8" x 1" (603mm x 1213mm x 24mm) 23.8" x 23.8" x 1" (603mm x 603mm x 24mm)
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)		
PATTERNS ONLY NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90
	With 12" (305mm) Air Gap: 0.95		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 0.95		
PATTERNS ON BACKER NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.00
	With 12" (305mm) Air Gap: 1.00		
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 0.95		
Suggested Installation	Zintra Pattern: choose from one of our hardware options or choose your own to install as a room divider, ceiling tile or wall/ceiling feature. Zintra Pattern on Backer: Adhere to substrate using contact adhesive. Panel can be mechanically fixed using details similar to glass fittings. Check out the Installation tab on the website for complete installation instructions.		
Additional Comments	Not suitable as a free standing product.		
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		


Textures

Zintra Textures offers subtle and engaging 3-dimensional panel designs. Each design incorporates aspects that reduce echoes by changing the angle of sound reflecting off the surface. It makes them ideal for noisy public spaces that need a little flair.







94. Design Zintra Textures Cercles | Colour Sky




Carre




Cercles




Corbe




Diamont




Droit




Echelle




Etoile




Hexagone




Nenuphar




Tissage




Tessan




Signe



Paume



Trappe



Vague

Textures Specifications


Dimensions	48" x 108" x 1" (1220mm x 2745mm x 24mm)		
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)		
NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90
	With 12" (305mm) Air Gap: 0.95		
Aw Rating	Directly Mounted: 0.3.0	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 0.95		
Suggested Installation	Zintra Acoustic Textures should be installed using 3M VHB double sided tape (not supplied) as per the Handling Fabrication and Installation guide on the Downloads tab. Check out the Installation tab on the website for complete installation instructions.		
Additional Comments	Not suitable as a free standing product.		
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		



Design Zintra Textures in Tesson | Colour Ecrû | Project Austin Health Library

Layers

Zintra Layers is all about handmade acoustic design. Different colours of Zintra can be selected before being cut into strips and applied to a Zintra backing panel to create a sophisticated look that's unique to you. For superior acoustics, Zintra Layers 3D uses any single colour to build a 3-dimensional surface that breaks up sound reflection to reduce echoes.







100. Design Zintra Layers 3D | Colour Pewter




102. Design **Zintra Layers** | Colour **Frost, Greige and Fossil**

Layers 3D



Layers




Layers Specifications

Dimensions	Dimensions: 48" (1220mm) x 108" (2745mm)		
Colours	Available in 24 colours (see p. 12–21)		
NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.00
	With 12" (305mm) Air Gap: 1.00		
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 1.00		
Suggested Installation	Adhere to substrate using contact adhesive or Z clips. Panel can be mechanically fixed. Check out the Installation tab on the website for complete installation instructions.		
Additional Comments	As Zintra Layers are hand-made, an exact pattern match from one panel to the next is not possible. All Zintra Layers are supplied on a Zintra Acoustic backer in Black.		
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		

Blades

Zintra Blades are prefabricated, wall mounted baffles that come ready for easy installation. Blades provide an interesting alternative to wall panels, with their double-sided presentation increasing the surface area for noise absorption and enabling light to flow into a space.






106. Design Zintra Blades Peak | Colour Ochre




108. Design **Zintra Blades Swell** | Colour **Eucalyptus**


Small Blades



Bolt




Canyon



Peak



Ridge





Square




Swell


Large Blades




Bolt




Canyon




Peak



Ridge



Square



Swell

Blades Specifications

Dimensions	48" x 54" (1220mm x 1370mm)	48" x 108" (1220mm x 2745mm)
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Directly Mounted: 0.65	
Aw Rating	Directly Mounted: 0.65	
Suggested Installation	Insert tube into pre-cut holes in the blades. Move blades into correct position. Fix tube off to the wall with screws (not supplied). Check out the product downloads tab on the website for the complete Handling and Installation guide.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

TILES



Box Tiles

Zintra Box Tiles come in a range of standard sizes and depths that make them easy on the eye and easy to install. Available in the full Zintra colour range, Box Tiles give you the versatility of creating a wall to wall install or an eye-popping acoustic feature.






114. Design Zintra Box Tile Hex | Colour Pebble, Smoke and Pewter



116. Design Zintra Box Tile Diamond | Colour Linen, Greige and Cadet


Diamond

15 tiles / set, 11.7 SF (1.1m²)
9.5" (242mm) w x 15" (381mm) h x 3" (76mm) d / tile




Hex

12 tiles / set, 12.1 SF (1.1m²)
15" (381mm) w x 13" (330mm) h x 3" (76mm) d / tile




Pitched

10 tiles / set, 15.6 SF (1.4m²)
15" (381mm) w x 15" (381mm) h x 3" (76mm) d / tile




Square 1.5"

12 tiles / set, 18.7 SF (1.7m²)
15" (381mm) w x 15" (381mm) h x 1.5" (38mm) d / tile




Square 2.25"

10 tiles / set, 15.6 SF (1.4 m²)
15" (381mm) w x 15" (381mm) h x 2.3" (57mm) d / tile



Square 3"

10 tiles / set, 15.6 SF (1.4m²)
15" (381mm) w x 15" (381mm) h x 3" (76mm) d / tile





Box Tiles Specifications

Dimensions	See above
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)
NRC Rating	Directly Mounted: Up to 1.10
Aw Rating	Directly Mounted: Up to 1.00
Suggested Installation	Ship flat packed. Arrange as required and fix to the wall with construction adhesive. Check out the installation tab on the website for complete installation instructions.
Additional Comments	Also available with Digital Print. Not suitable as a free standing product.
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Plain Tiles

Zintra Plain Tiles make it fun to mix and match. 13 shapes, 24 colours and 4 wood effects present a plethora of design options, that make creating beautiful, acoustically minded spaces, a breeze.





Design Zintra Plain Tile and Etch Tile Triangle | Colour Spotted Gum and Ecu



120. Design Zintra Plain Tiles Jigsaw | Colour Olive and Grass




Product Zintra Plain Tiles Hourglass | Colour Brick, Ivory and Ecu


Battleaxe

13 tiles / set, 25.2 SF (2.3m²)

Front view




36 Tile Assembly




Chevron

10 tiles / set, 31.7 SF (2.9m²)

Front view




12 Tile Assembly




Diamond

20 tiles / set, 25.8 SF (2.4m²)

Front view




21 Tile Assembly




Herringbone

12 tiles / set, 30.1 SF (2.8m²)

Front view




12 Tile Assembly




Hexagon

10 tiles / set, 24.6 SF (2.3m²)

Front view




4 Tile Assembly




Hourglass

5 tiles / set, 21.8 SF (2m²)

Front view




4 Tile Assembly




Jigsaw

8 tiles / set, 23.7 SF (2.2m²)

Front view




4 Tile Assembly




Trapezium

15 tiles / set, 31.8 SF (3m²)

Front view




16 Tile Assembly



Plain Tiles Specifications


Dimensions	See spread
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)
NRC Rating	Directly Mounted: 0.45
Aw Rating	Directly Mounted: 0.30
Suggested Installation	Supplied as a set of individual tiles. Arrange as required. Check out the Installation tab on the website for complete installation instructions.
Additional Comments	Available in both Plain and Etch. Sold in sets. Also available with Digital Print. Not suitable as a free standing product.
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Geometrics




Triangle

16 tiles / set, 31 SF (2.9m²)




Square

8 tiles / set, 31 SF (2.9m²)




Plank

26 tiles / set, 33.5 SF (3.1m²)




Parallelogram

6 tiles / set, 23.2 SF (2.1m²)



Rectangle

4 tiles / set, 31 SF (2.9m²)




7 Tile Assembly

Etch Tiles

Zintra Etch Tiles offer a range of 3D tile designs, created using a 3mm v-groove. The angled blade cuts a contemporary, design-led acoustic option that's perfect for progressive, modern interiors.

Refer to p. 68 to see our Etch walls offering.





126. Design Zintra Etch Tile Diamond | Colour Merbau



128. Design Zintra Etch Tiles Hourglass | Colour Ivory




Design Zintra Etch Tiles Herringbone | Colour Pebble


Battleaxe

13 tiles / set, 25.2 SF (2.3m²)

Front View




36 Tile Assembly




Chevron

10 tiles / set, 31.7 SF (2.9m²)

Front View




12 Tile Assembly




Diamond

20 tiles / set, 25.8 SF (2.4m²)

Front View




12 Tile Assembly




Herringbone

12 tiles / set, 30.1 SF (2.8m²)

Front View




12 Tile Assembly




Hexagon

10 tiles / set, 24.6 SF (2.3m²)

Front View




11 Tile Assembly




Hourglass

5 tiles / set, 21.8 SF (2m²)

Front View




20 Tile Assembly




Plank

26 tiles / set, 33.5 SF (3.1m²)

Front View




15 Tile Assembly




Square

8 tiles / set, 31 SF (2.9m²)

Front View




16 Tile Assembly




Trapezium

15 tiles / set, 31.8 SF (2.9m²)

Front View




16 Tile Assembly




Triangle

16 tiles / set, 31 SF (2.3m²)

Front View



12 Tile Assembly



Etch Tiles Specifications

Dimensions	See spread
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)
NRC Rating	Directly Mounted: 0.45
Aw Rating	Directly Mounted: 0.30
Suggested Installation	Supplied as a set of individual tiles. Arrange as required. Check out the Installation tab on the website for complete installation instructions.
Additional Comments	Available in both Plain and Etch. Sold in sets. Also available with Digital Print. Not suitable as a free standing product.
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Pattern Tiles

Zintra Pattern Tiles are a Zintra favourite. The progressive designs are cut through the front Zintra panel and mounted onto a back panel to add depth. The choice of 28 front and back colours creates thousands of combinations even before you decide how to lay them out.

Refer to p. 78 to see our Pattern Walls offering.





134. Design **Zintra Pattern Tiles Arch** | Colour **Brick**



Product **Zintra Pattern Tiles Leap** | Colour **Smoke on Slate**




Product **Zintra Pattern Tiles Lotus** | Colour **Linen on Spotted Gum**


Arch

16 tiles / set, 25.7 SF (2.4m²)

Front view




10 Tile Assembly




Striae

14 tiles / set, 29.8 SF (2.8m²)

Front view




6 Tile Assembly




Entwine

10 tiles / set, 22.8 SF (2.1m²)

Front view




7 Tile Assembly




Surge

8 tiles / set, 24.5 SF (2.3m²)

Front view




4 Tile Assembly




Leap

10 tiles / set, 22.8 SF (2.1m²)

Front view




6 Tile Assembly




Lotus

10 tiles / set, 25.2 SF (2.3m²)

Front view



6 Tile Assembly



Pattern Tiles Specifications

Dimensions	See spread
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)
NRC Rating	Directly Mounted: 0.45
Aw Rating	Directly Mounted: 0.30
Suggested Installation	Supplied as a set of individual tiles. Arrange as required. Check out the Installation tab on the website for complete installation instructions.
Additional Comments	Sold in sets. Not suitable as a free standing product.
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

CEILINGS



Baffle Systems

Zintra Baffle Systems are an innovative, noise reducing replacement to mineral fibre ceiling systems. They come flat packed, are easy to assemble and simple to install.


Their modular and configurable design means they can be used on their own to create a feature, or together to improve the aesthetics of an entire ceiling.



Design **Zintra Baffle Custom** | Colour **Frost**
Project | **Rydges Coolangatta** | Designer **Design Nu**
140. Photographer **AH Photography**



142. Design Zintra Baffles Custom Waves | Colour Custom | Project Rydges Coolangatta



Design Zintra Baffles Louvre | Colour Grass, Malachite and Olive



Design **Zintra Baffles Square** | Colour **Slate, Pewter and Smoke** | Project **Gary Smith**
 144. Designer **Mary Ash Interior Design Service** | Photographer **Mary Ash Interior Design Service**




Product **Zintra Baffles Ridges** | Colour **Cobalt**



Design **Zintra Baffles** | Colour **Tar** | Project **Humber College International Graduate School**
 Designer **Kasian** | Photographer **Ryan Fung Photography**


Small baffle

Available in 4.8" (120mm) or 9.5" (240mm) deep





Large baffle



Available in 4.8" (120mm) or 9.5" (240mm) deep





Square





Bolt





Canyons




Ridges




Swell




Gorge*



Waves




48" (1220mm) w x 54" (1373mm) d x 4.7" (120mm) h




48" (1220mm) w x 108.1" (2745mm) d x 4.7" (120mm) h

V-Fold




48" (1220mm) w x 48" (1220mm) d x 3.1" (80mm) h




48" (1220mm) w x 108.1" (2745mm) d x 3.1" (80mm) h

Louvre



48" (1220mm) w x 48" (1220mm) d x 3.7" (94mm) h



48" (1220mm) w x 108.1" (2745mm) d x 3.7" (94mm) h

Baffle Systems Specifications


Dimensions	See spread	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Without Air Gap: Up to 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: Up to 0.80	With 24" (610mm) Air Gap: Up to 0.80
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it into place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation. Check out the Installation tab on the website for complete installation instructions.	
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm). Baffles include Adjustable Cable Kit and Square Tube. See p. 206 for hardware detail. Longer Cables, multi-colour and Digital Print available for an additional fee.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

* Also available in 48"(1220mm) w x 72" (1829mm) l x 18" (456mm) h

Box Baffles

Zintra Box Baffles have a solid box shape design that gives them a strong ceiling presence.

Available in uniform, random or mixed combinations, the 24 Zintra colours make them modern ceiling features, while the 4 wood prints offer a more natural, rustic aesthetic.






150. Design Zintra Box Baffles Uniformed Low | Colour Custom Digital Print Graphic




152. Design Zintra Box Baffles Random | Colour Pewter, Slate and Ivory

Random*

Isometric




Top




Mixed*

Isometric




Top




Uniformed Low*

Isometric




Top




Uniformed High*

Isometric




Top



* Also available in 39.4" (1000mm) w x 95.4" (2400mm)


Box Baffle A

2" (50mm) w x 39.4" (1000mm) x 2" (50mm) h – Set of 18
2" (50mm) w x 93" (2362mm) x 2" (50mm) h – Set of 8




Box Baffle B

7.9" (200mm) w x 39.4" 1000mm) x 2" (50mm) h – Set of 9
7.9" (200mm) w x 93" (2362mm) x 2" (50mm) h – Set of 3




Box Baffle C

2" (50mm) w x 39.4" (1000mm) x 3.9" (100mm) h – Set of 11
2" (50mm) w x 93" (2362mm) x 3.9" (100mm) h – Set of 4




Box Baffle D

3.9" (100mm) w x 39.4" (1000mm) x 3.9" (100mm) h – Set of 9
3.9" (100mm) w x 93" (2362mm) x 3.9" (100mm) h – Set of 4



Box Baffle E

2" (50mm) w x 39.4" (1000mm) x 7.9" (200mm) h – Set of 4
2" (50mm) w x 93" (2362mm) x 7.9" (200mm) h – Set of 2




Box Baffles Specifications

Dimensions	See above	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Without Air Gap: Up to 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: Up to 0.80	With 24" (610mm) Air Gap: Up to 0.80
Suggested Installation	Be sure to support Baffles during installation to avoid bowing or creasing. Slide Baffles onto notched Square Tube to position it into place. Fix Adjustable Cables to ceiling. Adjust cables to complete installation. Check out the Installation tab on the website for complete installation instructions.	
Additional Comments	Only available from Zintra Acoustic Panel ½" (12mm). Baffles include Adjustable Cable Kit and Square Tube. See p. 206 for hardware detail. Longer Cables, multi-colour and Digital Print available for an additional fee.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Connect Baffles

Zintra Connect Baffles add sculptural on-trend geo-accents to your ceiling space. They are an innovative solution to large areas requiring improved acoustics and are designed with full or partial ceiling coverage in mind. Connect is offered in a number of designs to create a ceiling space with architectural shape, form and definitive character.







156. Design Zintra Connect Baffles Cirrus | Colour Frost



158. Design Zintira Connect Baffles Cubix | Colour Olive, Grass, Sky and Cobalt



Connect Cirrus

141.5" (3595mm) x 89.6" (2275mm)




Connect Rise

48.03" (1220mm) x 109.84" (2790mm)




Connect Cubix

18 cubes / set, 18.9 SF (1.8m²)
36.6" (930mm) w x 74.4" (1889mm) d x 4.7" (120mm) h




Connect Hive

18 hexagons / set, 21.7 SF (2.6m²)
40.4" (1027mm) w x 100.2" (2544mm) d x 4.7" (120mm) h



Connect Prismatic

18 triangles / set, 16.9 SF (1.7m²)
30.2" (768mm) w x 88.2" (2241mm) d x 4.7" (120mm) h




Connect Specifications

Dimensions	See spread	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Without Air Gap: Up to 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: Up to 0.80	With 24" (610mm) Air Gap: Up to 0.80
Suggested Installation	Baffle Connect components are supplied flat pack. Fix Adjustable Cable Kit or 4 Way Adjustable Cable Kit (Connect Cubix, Hive and Prismatic only) to Ceiling. Assemble Connect on floor and hang by S-hooks. Adjust Cable Kit/4 Way Adjustable Cable Kit to complete Connect system. Check out the Installation tab on the website for complete installation instructions.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Individual Baffles




Zintra Individual Baffles hang from their own set of cables, offering an endless array of design and installation options. They're a perfect baffle when you want to maintain a sense of space, retrofit an existing ceiling grid, or avoid obscuring ceiling detail.








164. Design Zintra Individual Baffles Hook | Colour Linen

Individual Baffle |
Adjustable Cable Kit



Adjustable cable through Zintra

Individual Baffle | Hook
(does not include ceiling grid)



Twist Clip Loop on ceiling grid
with S-hook through Zintra


Individual Baffles Specifications

Dimensions	Max 108" (2745mm) x 4.72" (120mm) x 0.5" (12mm) or 108" (2745mm) x 9.45" (240mm) x 0.5" (12mm)	
Colours	Available in all 28 colours including Zintra Timber (see p. 12-21)	
NRC Rating	Without Air Gap: Up to 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: Up to 0.80	With 24" (610mm) Air Gap: Up to 0.80
Suggested Installation	Hang Baffles individually from supplied cables or suspended ceiling grid (not supplied).	
Additional Comments	Only available from Zintra Acoustic Panel 1/2" (12mm). Baffles include Adjustable Cable Kit and Square Tube. See p. 206 for hardware detail. Longer Cables, multi-colour and Digital Print available for an additional fee.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Sticks

Zintra Sticks is a range of fabricated acoustic "sticks" that come as a ready to install system or individual lengths. Two profiles offer the choice of portrait or landscape installation across walls and ceilings, while transition pieces create a seamless join on inside or outside corners.

Refer to p. 50 for Zintra Sticks on walls.






168. Design Zintra Sticks Bundle and Transition Set | Colour **Malachite** | Profile **Wide** | Orientation **Portrait**


Sticks Bundle Narrow

108" (2745mm) h x 37.5" (953mm) w
Individual Sticks – 1.66" (42mm) w x 2.4" (61mm) d




Sticks Bundle Wide

108" (2745mm) h x 37.5" (953mm) w
Individual Sticks – 4" (101mm) w x 2.4" (61mm) d




Portrait External Corner Set

108" (2745mm) h x 4" (101mm) w




Typical Portrait Transition Assembly

101mm wide stick profile




Typical Portrait External Corner Assembly

4" (101mm) wide stick profile




Portrait Transition Narrow Set

11.37" (289mm) h x 37.5" (953mm) w




Portrait Transition Wide Set

11.37" (289mm) h x 37.5" (953mm) w




Landscape Transition
Narrow Set

108" (2745mm) w x 11.67" (296mm) h




Landscape Transition
Wide Set

108" (2745mm) w x 326mm h



Typical Landscape
External Corner Assembly


1.66" (42mm) wide stick profile



Sticks Bundle | Narrow Landscape External Corner Narrow Set Sticks Bundle | Narrow

Typical Landscape
Transition Assembly

1.66" (42mm) wide stick profile



Clouds

Zintra Clouds take their inspiration from the sky, offering a 3-dimensional range of floating designs. The combination of straight edges and rounded curves creates an attention-grabbing acoustic addition that's easy to assemble and simple to hang.





Design **Zintra Clouds Long Dome Convex** | Colour **Fossil**




176. Design **Zintra Clouds Turbine** | Colour **Olive**



Product **Zintra Clouds Stratus** | Colour **Smoke**


Blanchard

27.3" (694mm) dia x 23.5" (595mm) h
56.4" (1432mm) dia x 47" (1195mm) h




Giffard

14.4" (364mm) dia x 23.5" (595mm) h
27.3" (692mm) dia x 47" (1195mm) h
45.6" (1160mm) dia x 71" (1802mm) h




Turbine

48.93" (1243mm) w x 48.93" (1243mm) d x 15.5" (393mm) h




Clochette

39" (992mm) w x 44.1" (1121mm) l x 9.2" (232mm) h




Square

48" (1220mm) w x 48" (1220mm) l x 5.9" (150mm) h
48" (1220mm) w x 108" (2745mm) l x 5.9" (150mm) h
108" (2745mm) w x 108" (2745mm) l x 5.9" (150mm) h
108" (2745mm) w x 108" (2745mm) l x 8.9" (225mm) h




Long Dome Convex

42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h




Long Dome Concave

42.4" (1077mm) w x 97.5" (2476mm) d x 11.8" (300mm) h




Drante

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h
72.1" (1832mm) w x 72.1" (1832mm) l x 9" (229mm) h




Yoofoe

48" (1220mm) dia x 6.2" (156mm) h
72" (1829mm) dia x 8" (204mm) h
96" (2438mm) dia x 10" (254mm) h
108" (2745mm) dia x 10.1" (257mm) h




Dome Convex

44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h




Dome Concave

44.6" (1133mm) w x 44.6" (1133mm) d x 11.8" (300mm) h




Warp

48" (1220mm) w x 48" (1220mm) l x 5.5" (140mm) h



Stratus

28" (711mm) w x 55" (1398mm) l x 11.5" (290mm) h




Clouds Specifications

Dimensions	See spread	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	Without Air Gap: Up to 0.90	With 24" (610mm) Air Gap: Up to 0.95
Aw Rating	Without Air Gap: Up to 0.80	With 24" (610mm) Air Gap: Up to 0.80
Suggested Installation	Cloud components supplied flat pack. Assembled cloud is then suspended from the ceiling using hanging hardware supplied. Check out the Installation tab on the website for complete installation instructions.	
Additional Comments	Only available from Zintra Acoustic Panel ½" (12mm). Clouds include Adjustable Cable Kit. See p. 206 for hardware detail. Longer Cables, multi-colour and Digital Print available for an additional fee.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Shapes

Zintra Shapes uses geometric forms to complement the traditional angles of a room. Working well on their own or as a group, Shapes can be hung to draw attention to a specific space or spread out to draw the eye over the entire length of a room.






182. Design Zintra Shapes Circle | Colour Grass, Pewter and Ivory



Design Zintra Shapes Large Rectangle and Square | Colour Linen, Ivory and Ecru




Design Zintra Shapes Square and Triangle | Colour Slate and Ecru




Design **Zintra Shapes Hexagon and Custom** | Colour **Frost, Mandarin, Ecrú, Ochre and Sunshine**
184. Project **Charles Darwin University** | Designer **Asbuild** | Photographer **Asbuild**


Triangle




Circle




Hexagon



Square



Rectangle



Shapes Specifications

Dimensions	See above		
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)		
½" (12mm) NRC Rating	Directly Mounted: 0.45	With 2" (50mm) Air Gap: 0.85	With 6" (152mm) Air Gap: 0.90
	With 12" (305mm) Air Gap: 0.95		
Aw Rating	Directly Mounted: 0.30	With 2" (50mm) Air Gap: 0.75	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 0.95		
1" (24mm) NRC Rating	Directly Mounted: 0.75	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 1.00
	With 12" (305mm) Air Gap: 1.00		
Aw Rating	Directly Mounted: 0.60	With 2" (50mm) Air Gap: 0.95	With 6" (152mm) Air Gap: 0.95
	With 12" (305mm) Air Gap: 1.00		
Suggested Installation	Hang with supplied cables. Check out the Installation tab on the website for complete installation instructions.		
Additional Comments	Available in 1" (12mm + 12mm) or ½" (12mm) thickness		
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.		

SCREENS

Floor to Ceiling Screens

Zintra Floor to Ceiling Screen utilise a steel cable to suspend Zintra sheets or patterns. They are easy-to-install and cost-effective room dividing solution.




188. Design Zintra Patterns Astra | Colour Sunshine

Cable Side Gripper

Front view


Size varies, as it depends on the panel being suspended



Cable Standoff

Front view

Size varies, as it depends on the panel being suspended



Floor to Ceiling Specifications

Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Fix cables into floor and ceiling with suitable anchors (requires rigid ceiling and floor), tension cable and hang screen using supplied side gripper or standoff.	
Additional Comments	Zintra Patterns and Floor to Ceiling System sold separately.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Sliding Screens



Zintra Sliding Screens combines Zintra Patterns with easy to install hardware, allowing flexible room division with outstanding acoustic quality.




190. Design Zintra Sliding Screens Bhushan | Colour Sky

Sliding Track Assembly

Zintra Patterns not included



One screen



Two screens

Sliding Screens Specifications



Dimensions	48" x 108" x 1/2" (1220mm x 2745mm x 12mm)	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Fix track to ceiling with suitable anchors (requires rigid ceiling), hang panel on track, insert decorative end caps.	
Additional Comments	Zintra Patterns, Rollers and Double Sliding Track are sold separately. Available as one single screen or overlapping multiple screens	
Customisation	Floor to ceiling height and screen to be placed.	

Concertina

Zintra Concertina enables you to easily create a well-balanced environment. No assembly is required. Just unfold, stand up and adjust the panels to the angle that suits. When no longer needed, simply fold Concertina flat and store away.



192. Design Zintra Concertina Bhushan | Colour Smoke on Frost



Concertina Specifications


Dimensions	71.3" x 72 x 1" (1810mm x 1830mm x 24mm)	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 1.00	With 12" (305mm) Air Gap: 1.00
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 1.00
Additional Comments	Only available as 2 x ½" (12mm) sheets laminated together. Pattern may be specified to one side or both. Optional Zintra Concertina stand available.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Desk Divider

Zintra Desk Dividers are an easy to use and install solution when that little bit of privacy is needed. Simply slide the desk divider over the edge of the work surface and tighten the knob. Use desk dividers for a permanent division or as needed. Completely customisable to fit almost any work surface.



194. Design Zintra Desk Dividers Bhushan | Colour Linen and Ecru



Desk Divider Specifications

Dimensions	23.8" x 15.8" x 1" (603mm x 400mm x 24mm) 23.8" x 23.8" x 1" (603mm x 603mm x 24mm)	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 1.00	With 12" (305mm) Air Gap: 1.00
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 1.00
Suggested Installation	Slide the desk divider over the edge of the work surface and tighten the knob.	
Additional Comments	Hardware included. Only available as 2 x 1/2" (12mm) sheets laminated together. Pattern may be specified to one side or both.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

Desk Modesty


Zintra Desk Modesty's provide privacy above and below the desk with these edge mounted screens. Available in a variety of standard patterns and sizes, the desk modesty is also completely customisable.




196. Design Zintra Desk Modesty Punto | Colour Fossil and Linen




Design Zintra Desk Modesty Bhushan | Colour Slate




Bhushan




Ginkgo




Hex




Kerala




Pixel



Prose




Punto



Wamika

Desk Modesty Specifications

Dimensions	See spread. Available 2 x 1/2" (12mm) laminated.	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 1.00	With 12" (305mm) Air Gap: 1.00
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 1.00
Suggested Installation	Fix the L-Brackets off to the desk and Modesty.	
Additional Comments	Only available in 1" (24mm) / 2 x 1/2" (12mm) sheets laminated together). Hardware included. Pattern may be specified to one side or both.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	



* Suits metric desk size

Desk Screen

Zintra Desk Screens are ideal for open work spaces that need more privacy. These surface mounted partitions sit secure in place while capturing unwanted noise and adding colour and design. Zintra Desk Screen are completely customisable to fit almost any work surface.




200. Design Zintra Desk Screen Punto | Colour Slate on Grass




Design Zintra Desk Screen Prose | Colour Smoke on Cobalt

Desk Screen Specifications


Dimensions	See spread. Available in 1" (24mm) and 1/2" (12mm)	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 1.00	With 12" (305mm) Air Gap: 1.00
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 1.00
Suggested Installation	Fix the Clamshell off to the desk and then slide the Screen into the gap.	
Additional Comments	Hardware included. Pattern may be specified to one side or both.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	




Bhushan




Ginkgo




Hex




Kerala




Pixel







Prose



Punto



Wamika



* Suits metric desk size


Desk Wrap

Zintra Desk Wraps feature carefully placed slice cuts which allow Zintra to become flexible and wrap around the corners of a desk. When wrapped, the slice cuts reveal a defining pattern. Use Desk Wraps as a screen or modesty panel to add privacy and acoustic benefits.




204. Design **Desk Wrap** | Colour **Pewter**

Desk Wrap Screen



Desk Wrap Modesty



Desk Wrap Specifications

Dimensions	Screen height (400mm or 603mm) to suit desk widths of: 48" 60" 72" 1200mm 1400mm 1600mm 1800mm Modesty height (603mm or 915mm) to suit desk widths of: 48" 60" 72" 1200mm 1400mm 1600mm 1800mm Screen/Modesty Depth is always 487mm deep	
Colours	Available in all 28 colours including Zintra Timber (see p. 12–21)	
NRC Rating	With 6" (152mm) Air Gap: Up to 0.90	With 12" (305mm) Air Gap: 0.95
Aw Rating	With 6" (152mm) Air Gap: Up to 0.95	With 12" (305mm) Air Gap: 0.95
Suggested Installation	Fix Clamshell or L-Brackets to desk. Connect Wrap to fixing.	
Additional Comments	Zintra Patterns not available. Only available in Zintra ½" (12mm) sheets.	
Customisation	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	

HARDWARE





4 Way Adjustable Cable Kit

Dimensions: Steel Cable 6½' (2000mm)
Finish: Brushed stainless steel
Notes: Kit includes Steel Cable, 2x leg cables with toggle end, Barrel Fixing, Anchor Bolt & Adjustable 4-way splitter
Used With: Baffles Connect Cubix, Hive, Prismatic and Turbine Cloud



Adjustable Cable Kit

Dimensions: Steel Cable North America / Asia – 5' (1524mm)
Europe – 6 ½' (2000mm)
Finish: Silver
Notes: Kit includes Steel Cable, Barrel Fixing, Anchor Bolt & Adjustable Toggle
Used With: Baffles – Individual & Systems, Clouds, Connect & Shapes



Cable Side Gripper Double

Finish: Brushed Stainless Steel
Notes: Requires Floor to Ceiling Cable Kit (sold separately)
Compatible with Zintra ½" (12mm) Sheets only
Used With: Floor to Ceiling



Cable Side Gripper Single

Finish: Brushed Stainless Steel
Notes: Requires Floor to Ceiling Cable Kit (sold separately)
Compatible with Zintra ½" (12mm) Panels only
Used With: Floor to Ceiling



Cable Standoff

Finish: Brushed Stainless Steel
Notes: Requires Floor to Ceiling Cable Kit (sold separately)
Compatible with Zintra ½" (12mm) Sheets only
Used With: Floor to Ceiling



Clamshell Clamp Large

Colour: White
Notes: Compatible with 1" (24mm) Zintra Acoustic Solutions
Used With: Desk Screen



Clamshell Clamp Small

Colour: White
Notes: Compatible with ½" (12mm) Zintra Acoustic Solutions
Used With: Desk Screen & Desk Wrap Screen



Double Sliding Track

Dimensions: North America/Asia – 1.4" (35 mm) x 2.2" (56mm) x 96" (2438mm)
Europe – 1.6" (40mm) x 1.4" (35mm) x 110" (2800mm)
Finish: Satin Aluminium
Used With: Sliding Track



Floor To Ceiling Cable Kit

Dimensions: 13'1" (4000mm) Cables
Finish: Silver
Notes: Requires Side Gripper Single, Side Gripper Double or Cable Standoff (sold separately)
Used With: Floor to Ceiling



L – Bracket

Finish: White
Notes: Compatible with 1" (24mm) thick Zintra acoustic solutions
Used With: Desk Modesty & Desk Wrap Modesty



Roller Kit

Finish: Stainless Silver
Notes: Minimum of (2) Roller Kit required for panels 48" (1220mm) wide or less
(3) Roller Kit required for panels wider than 48" (1220mm)
Requires Double Sliding Track (sold separately)
Kit includes roller and fixing plate
Used With: Sliding Track



S-Hook

Finish: Silver
Notes: Requires Twist Clip – Loop or Twist Clip – Swivel
Used With: Individual Baffle – Hook



Standoff – 1" (25mm)

Finish: Brushed Stainless Steel
Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick
Used With: Sheets, Patterns & Etch



Standoff – 1.75" (45mm)

Finish: Brushed Stainless Steel
Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick
Used With: Sheets, Patterns & Etch



Standoff – 2.5" (65mm)

Finish: Brushed Stainless Steel

Notes: Compatible with Zintra Acoustic Solutions up to 1" (24mm) thick

Used With: Sheets, Patterns & Etch



Square Tube 1" (25mm) X 1" (25mm)

Dimensions: 1" (25mm) x 1" (25mm) x 110" (2795mm)

Finish: Satin Black or White

Used With: Baffles & Blades



Twist Clip Loop

Finish: White

Notes: North America/Asia – Compatible with 15"/16" ceiling grid

Europe – Compatible with T24 ceiling grid

Requires S-Hook (sold separately)

Used With: Baffle Individual



Twist Clip Threaded

Finish: Silver

Notes: North America/Asia – Compatible with 15"/16" ceiling grid

Europe – Compatible with T24 ceiling grid

Requires Adjustable Cable Kit (sold separately)

Used With: Baffle Systems, Baffles Individual, Clouds & Shapes



Twist Clip Swivel

Finish: Clear

Notes: Not available in Europe

Compatible with 15"/16" ceiling grids

Requires S-Hook (sold separately)

Used With: Individual Baffle – Hook



U-Channel

Dimensions: North America/Asia – 0.5" (12mm) x 0.5" (12mm) x 108" (2745mm)

Europe – 15mm x 15mm x 2800mm

Finish: Satin Aluminum

Notes: Compatible with 1/2" (12mm) thick Zintra Acoustic Solutions

Used With: Baffles Individual



Z-Clips

Dimensions: 1.5" (38mm) or 36" (914mm)

Finish: Aluminium mill finish

Notes: Sold as pairs

Used With: Sheets, Etch & Patterns



Design Zintra Etch Spectrum | Colour Brick

TRIMS



J-Trim
Dimensions: North America/Asia – 0.5" (12mm) x 1" (24mm) x 110" (2795mm)
Europe – 17mm x 27mm x 2800mm
Finish: Satin Aluminum
Notes: Compatible with Zintra ½" (12mm) Sheets only
Used With: Sheets & Etch



L-Angle 1" (25mm) X 1" (25mm)
Dimensions: 25mm x 25mm x 2800mm
Finish: Satin Aluminum
Used With: Sheets, Etch & Shapes



L-Angle ½" (12mm) X 1" (25mm)
Dimensions: North America/Asia – 1" (25mm) x 0.5" (12mm) x 110" (2800mm)
Europe – 1" (25mm) x 0.6" (15mm) x 110" (2800mm)
Finish: Satin Aluminum
Used With: Sheets & Etch



Radius Trim
Dimensions: 1" (24mm) x 1" (24mm) x 110" (2795mm)
Finish: Satin Aluminum
Notes: Not available in Europe
Compatible with Zintra ½" Sheets only
Custom finishes available for an additional fee
Used With: Sheets & Etch